

## Can not start OpenEdge broker when port in use

Can not start OpenEdge broker when port in use

🕒 Jun 23, 2012 · Knowledge

### Title

Can not start OpenEdge broker when port in use

### URL Name

P26109

### Article Number

000169655

### Environment

WebSpeed 3.1x

OpenEdge 10.x, 11.x

All supported platforms

All Supported Operating Systems

### Question/Problem Description

Can not start WebSpeed broker when port in use

Can not start AppServer broker when port in use

Can not start Database broker when port in use

The port <n> is already in use. (785)

Could not listen on port: 3057 (8044)

java.net.BindException: Address already in use

Address already in use

Port already in use

AdminService was brought down for database maintenance

WebSpeed broker was not shut down when admin server was brought down

AppServer broker was not shut down when admin server was brought down

### Steps to Reproduce

### Clarifying Information

### Error Message

### Defect Number

### Enhancement Number

### Cause

The WebSpeed/AppServer brokers are still running on their ports, although the AdminServer has been shut down.

### Resolution

Stop AdminServer, identify java processes for WebSpeed/AppServer brokers and stop them using kill command. Then restart AdminServer and then start WebSpeed and AppServer brokers.

For example:

For Progress/WebSpeed 3x broker, the broker log file shows the PID after -ubpid

For OE 10x broker, the broker log file shows PID as P-00xxxx, where "xxxx" are the numeric PID number.

### Workaround

Reboot the machine where WebSpeed/AppServer brokers are still running.

### Notes

## Keyword Phrase

## Last Modified Date

9/13/2015 12:07 PM

## Attachment

OpenEdge Deployment  
(/s/topic/0TO4Q00000026HZWAY/...


OpenEdge Architecture  
(/s/topic/0TO4Q00000026HuWAI/o...

OpenEdge Development  
(/s/topic/0TO4Q00000026HzWAI/o...

OpenEdge General Discussions  
(/s/topic/0TO4Q00000026I9WAI/o...

OpenEdge Pro2  
(/s/topic/0TO4Q00000026IEWAY/o...

OpenEdge RDBMS  
(/s/topic/0TO4Q00000026IFWAY/o...

 [Files \(0\) \(/s/relatedlist/ka74Q0000004pWSQAY/AttachedContentDocuments\)](#)

## Disclaimer


The origins of the information on this site may be internal or external to Progress Software Corporation ("Progress"). Progress Software Corporation makes all reasonable efforts to verify this information. However, the information provided is for your information only. Progress Software Corporation makes no explicit or implied claims to the validity of this information.

Any sample code provided on this site is not supported under any Progress support program or service. The sample code is provided on an "AS IS" basis. Progress makes no warranties, express or implied, and disclaims all implied warranties including, without limitation, the implied warranties of merchantability or of fitness for a particular purpose. The entire risk arising out of the use or performance of the sample code is borne by the user. In no event shall Progress, its employees, or anyone else involved in the creation, production, or delivery of the code be liable for any damages whatsoever (including, without limitation, damages for loss of business profits, business interruption, loss of business information, or other pecuniary loss) arising out of the use of or inability to use the sample code, even if Progress has been advised of the possibility of such damages.


Was this article helpful?



## Related Articles

How to set up a secondary login broker for SQL-92 connections for Progress/OpenEdge database? (/s/article/How-to-set-up-a-secondary-login-broker-for-SQL-92-connections-for-Progress-OpenEdge-database)  127.81K

Is there a way to stop/start the Web Service Adapter like any other adapter or broker? (/s/article/is-there-a-way-to-stop-start-the-web-service-adapter-like-any-other-adapter-or-broker)  47.46K

WebSpeed broker not able to start due to port in use error: java.net.BindException: Address already in use: JVM\_Bind (/s/article/webspeed-broker-not-able-to-start-due-to-port-in-use-error-java-net-bindexception-address-already-in-use-jvm-bind)  1.46K

proadsv -start fails with Port 20931 is already in use (/s/article/proadsv-start-fails-with-Port-20931-is-already-in-use)  9.52K

Database broker fails to start database with error (44) due to Locky virus. (/s/article/Database-broker-fails-to-start-database-with-error-44-due-to-Locky-virus)  38.38K



Copyright © 2023 Progress Software Corporation and/or its subsidiaries or affiliates.  
All Rights Reserved.

Progress, Telerik, Ipswitch, Chef, Kemp, Flowmon and certain product names used herein are trademarks or registered trademarks of Progress Software Corporation and/or one of its subsidiaries or affiliates in the U.S. and/or other countries. See [Trademarks \(https://www.progress.com/legal/trademarks\)](https://www.progress.com/legal/trademarks) for appropriate markings.

 (<https://www.facebook.com/progresssw>)

 (<https://twitter.com/progresssw>)

 (<https://www.youtube.com/user/ProgressSW>)

 (<https://www.linkedin.com/company/progress-software>)

DO NOT SELL MY PERSONAL INFO (HTTPS://FORMS.PROGRESS.COM/CCPA-SUBSCRIPTION?)

GL=1\*1V4K8O5\* GA\*MZEWNJQ4NTAXLJE2ODKWNZUWNZM.\* GA\_9JSNBCSF54\*MTY4OTA3NTA3MY4XLJEUMTY4OTA3NTIYMS42MC4WLJA.& GA=2.164112124.2128645438.1689075073-310648501.1689075073)