

User Interface - Bug #1756

display skip fail in procedure

10/30/2012 05:49 AM - Ovidiu Maxiniuc

| | |
|--|---|
| Status: New | Start date: |
| Priority: Normal | Due date: |
| Assignee: | % Done: 0% |
| Category: | Estimated time: 0.00 hour |
| Target version: | |
| billable: No | case_num: |
| vendor_id: GCD | version: |
| Description | |
| Related issues: | |
| Blocked by Database - Feature #1593: add conversion and runtime support for T... | Closed 10/17/2012 07/16/2013 |

History

#1 - 10/30/2012 06:00 AM - Ovidiu Maxiniuc

The output is slightly different:

- on P2J as the DISPLAY from line 23 output is overwritten by the next call.
- on Progress each output goes to a newline.

P2J simply ignore any SKIP(n) clauses.

It may be related to the localization of the DISPLAY statement in the test0 procedure.

#2 - 10/30/2012 06:02 AM - Ovidiu Maxiniuc

- File skipfail.p added

- File Progress_Output.png added

- File P2J_Output.png added

#3 - 11/01/2012 01:28 AM - Eric Faulhaber

- Start date deleted (10/30/2012)

Files

| | | | |
|---------------------|-----------|------------|-----------------|
| skipfail.p | 885 Bytes | 10/30/2012 | Ovidiu Maxiniuc |
| Progress_Output.png | 5.24 KB | 10/30/2012 | Ovidiu Maxiniuc |
| P2J_Output.png | 12.3 KB | 10/30/2012 | Ovidiu Maxiniuc |