

Core Development - Feature #23

implement preprocessor activity logging

12/02/2004 12:00 PM - Greg Shah

Status:	New	Start date:	
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		vendor_id:	GCD
billable:	No		
Description			

History

#1 - 12/02/2004 01:04 PM - Nick Saxon

@18851 - Definition:

Preprocessor log is an output file where every change the preprocessor does to the input stream is logged as a record.

Records would contain the source file name, line and column number within the file, the action taken and the action data, if any.

#2 - 04/12/2012 11:23 AM - Greg Shah

Imported from JPRM on 2012-04-12 11:23:16.484:

```
TASKID      = 3133
PROJECTID   = 125
STATUS      = 3 (Hold)
DESCRIPTION = implement preprocessor activity logging
OWNER       = GES
ASSIGNEE    =
BILLABLE    = false
PRIORITY    = 5 (Normal)
PHASE       = 31 (Development)
COMPONENT   = 97
ESTEFFORT   = 0.000000
ESTSTART    = 2004-12-02
ESTSTOP     =
ACTSTOP     =
CASENUM     =
VENDORID    =
COMMENT     = ''
LASTWIP     =
```