

User Interface - Feature #2508

test LIST-ITEMS support in P2J and confirm that it is complete, add or fix features if deviations are found

01/29/2015 04:33 PM - Greg Shah

Status:	Closed	Start date:	
Priority:	Normal	Due date:	
Assignee:	Igor Skornyakov	% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:	GUI Support for a Complex ADM2 App	vendor_id:	GCD
billable:	No		
Description			
Related issues:			
Related to User Interface - Feature #2522: add attribute/method support for r...			Closed

History

#1 - 01/29/2015 04:37 PM - Greg Shah

This attribute is available on selection list, combo-box and browse column. Please write use cases to test it, including edge cases like unknown value, empty string, use of a different correct delimiters, use of a wrong delimiter (e.g. comma when DELIMITER is set to something else), empty element in the list, multiple sequential empty elements in the list, whitespace in the list.

#2 - 02/20/2015 02:26 PM - Igor Skornyakov

I understand the LIST-ITEM-PAIRS and RADIO-BUTTONS attributes are in the scope of this task as well. Is that correct?

#3 - 02/20/2015 02:31 PM - Greg Shah

Yes, I think you are right. Please test and fix any issues related to those.

Another thing: please test these both as options in a VIEW-AS widget-phrase and as attributes.

#4 - 02/23/2015 10:38 AM - Igor Skornyakov

1. We need to add support for the DELIMITER attribute
2. DELIMITER attribute value cannot be "unknown", but can be "?"
3. Generally speaking the assignment LIST-ITEMS="a,b,c,d" is equivalent to LIST-ITEM-PAIRS = "a,a,b,b,c,c,d,d".
 - 4a. If the DELIMITER != " " and != "?" then:
 - for COMBO-BOX trailing spaces of values are dropped (for labels they are left intact). For SELECTION-LIST spaces are left intact both for values and labels.
 - for COMBO-BOX "?" is not allowed as value (a warning 4058 is generated) but " " is allowed and is converted to "?". A "?" in LIST-ITEMS is silently ignored. For SELECTION-LIST ? is treated as a normal character.
 - for COMBO-BOX if label is an empty string "" the selected value is always "unknown".

However if an item is "?" it is ignored for the COMBO-BOX (but not for the SELECTION-LIST), but "?" is included as "?". Items consisting of spaces are shown as "" but for the COMBO-BOX the selected value is "unknown" (for the SELECTION-LIST it is "").

4b. If the DELIMITER is " " or "?" the behavior is essentially the same as above except the special treatment of space and question mark respectively.

5. LIST-ITEMS can be empty or "unknown" (which is the same). In this case the drop-down list can be activated with a single selectable item - "unknown".

6. If LIST-ITEMS is specified as a comma-separated list in the VIEW-AS phrase the interpretation of spaces and the question mark is the same as described in section 3 above. An "?" as value in LIST-ITEM-PAIRS for COMBO-BOX is silently ignored. There is a difference with value "?" for COMBO-BOX depending on how it is set: if it was in a VIEW-AS phrase or via ADD-FIRST/ADD-LAST the selected value is string "?" while if it as

assigned to the attribute the selected value is "unknown".

#5 - 02/23/2015 02:34 PM - Igor Skornyakov

RADIO-BUTTONS attribute for the RADIO-SET widget behaves like LIST-ITEM-PAIRS for the SELECTION-LIST.

Conclusion:

It appears that logic for the attributes in question is pretty complicated. I think that it will take me a day or two to adjust the runtime.

BTW: I've noticed that DELETE operation behaves a little bit different than I found before (it deletes items in a COMBO-BOX by value and emits some strange warning in case when the item to delete is not found). It is possible of course that I was wrong and overlooked something. However it is not likely. Is it possible that the 4DL on lindev01 was patched recently?

#6 - 02/23/2015 03:08 PM - Greg Shah

The version on lindev01 is 10.2B and has not been changed since it was installed in early 2013. I access it via /usr/progress/oe10.2B/dlc/bin/pro.

As far as I know, it is the only Progress version on that system.

It is common to find results later that can appear to contradict earlier findings. I have seen this myself. I have seen this in the past when I didn't fully understand the code I was writing and I implemented approaches that did not fully explore the feature set. Then later, when I understood better and/or explored further, I found my mistakes. This is easy to do in the 4GL where there is so much undocumented and quirky behavior hidden inside the runtime and/or compiler.

I think that it will take me a day or two to adjust the runtime.

Please go ahead with the necessary improvements.

#7 - 02/25/2015 12:47 PM - Igor Skornyakov

I've discovered a strange behavior: for the COMBO-BOX and SELECTION-LIST ADD-LAST(..., ?) is rejected but the code

```
DEFINE VARIABLE u AS CHARACTER NO-UNDO.
```

```
u = ?.
```

```
cb:ADD-LAST(..., u).
```

is acceptable.

I understand that there is no way to distinguish between these two cases in Java runtime. Is this the fact should the UNKNOWN value be accepted or rejected?

#8 - 02/25/2015 02:02 PM - Greg Shah

Are you saying that the 4GL reacts differently in these two situations?

Unknown literal:

```
cb:ADD-LAST(..., ?).
```

!value that is set to unknown value:

```
DEFINE VARIABLE u AS CHARACTER NO-UNDO.  
u = ?.  
cb:ADD-LAST(..., u).
```

If so, we CAN detect that at runtime because the unknown literal is emitted as `new unknown()` which is a special subclass of `BaseDataType` that is used only as the unknown value literal. In other cases, the variable would be passed in as character or whatever type and `isUnknown()` would need to be used.

#9 - 02/25/2015 02:15 PM - Igor Skornyakov

Greg Shah wrote:

Are you saying that the 4GL reacts differently in these two situations?

Yes, it does.

If so, we CAN detect that at runtime because the unknown literal is emitted as `new unknown()` which is a special subclass of `BaseDataType` that is used only as the unknown value literal. In other cases, the variable would be passed in as character or whatever type and `isUnknown()` would need to be used.

Oh, I see. Thanks a lot!

#10 - 02/25/2015 02:19 PM - Greg Shah

Progress is full of these insane "quirks". In these cases we try to leave careful comments and javadoc to explain that we put these "features" in to match specific quirks in the 4GL. Otherwise future maintainers of such code might easily simplify the code thinking that it was a bug. Please leave behind some clear comments to explain that the 4GL actually differentiates between unknown literal and real types set to unknown.

#11 - 02/25/2015 02:32 PM - Igor Skornyakov

Greg Shah wrote:

Progress is full of these insane "quirks". In these cases we try to leave careful comments and javadoc to explain that we put these "features" in to match specific quirks in the 4GL. Otherwise future maintainers of such code might easily simplify the code thinking that it was a bug. Please leave behind some clear comments to explain that the 4GL actually differentiates between unknown literal and real types set to unknown.

Got it. I've added the comment for this particular case.

#12 - 02/25/2015 03:09 PM - Igor Skornyakov

- File *ias_upd20150225a.zip* added

Finished adding DELIMITER attribute support and fixing LIST-ITEMS and LIST-ITEM-PAIRS logic. Testing is still required. The work is postponed until resolving the regression testing of [#2498](#) issues.

#13 - 02/26/2015 06:30 AM - Greg Shah

Code Review *ias_upd20150225a.zip*

1. The update should only contain files that were modified for this task. As far as I can tell, that is just the following:

```
rules/convert/methods_attributes.rules
rules/include/common-progress.rules
src/com/goldencode/p2j/ui/client/RadioSet.java
src/com/goldencode/p2j/ui/ComboBoxWidget.java
src/com/goldencode/p2j/ui/CommonWidget.java
src/com/goldencode/p2j/ui/ControlSetConfig.java (are these really needed?)
src/com/goldencode/p2j/ui/ControlSetEntity.java
src/com/goldencode/p2j/ui/RadioSetWidget.java (are these really needed?)
```

2. History entries are needed for RadioSet, ControlSetConfig, RadioSetWidget.

3. Should there be more code to handle non-character data types in truncateValue(BaseDataType)?

4. Please format the javadoc for new methods according to coding standards. See ComboBoxWidget and ControlSetEntity.

5. The ControlSetEntity helper interfaces BiPredicate and ItemsList*Expander need javadoc for their methods.

6. The indentation is out of standard in ControlSetEntity.addFirst(character, BaseDataType) and ControlSetEntity.useListItemPairs().

7. The new delimiter methods of ControlSetEntity have their opening { on the wrong line.

#14 - 03/04/2015 03:17 PM - Igor Skornyakov

- File *ias_upd20150304b.zip* added

Merged with revno 10793. Tested. The selection list behavior on gain/loose focus has to be fixed.

#15 - 03/05/2015 08:56 AM - Igor Skornyakov

Found at least two bugs.

1. When there are several widgets in a frame the cursor position doesn't change when switching between these widgets.
2. NPE in `ThinClient.positionCursor()` when switching to the RADIO-SET for the first time (in the previous scenario).

#16 - 03/05/2015 08:57 AM - Greg Shah

Are these bugs specific to your change or are they already existing in P2J?

#17 - 03/05/2015 09:00 AM - Igor Skornyakov

Greg Shah wrote:

Are these bugs specific to your change or are they already existing in P2J?

These bugs are not caused by my changes.

#18 - 03/05/2015 09:02 AM - Greg Shah

OK, please do fix these as part of this task.

#19 - 03/05/2015 03:30 PM - Igor Skornyakov

- File *ias_upd20150305a.zip* added

NPE was a result of my bug. To fix the cursor issue it was sufficient to hide cursor on SELECTION-LIST focus gain (and restore it on lost). All issues look to be fixed. A regression test started.

#20 - 03/05/2015 03:50 PM - Greg Shah

Code Review *ias_upd20150305a.zip*

I'm good with the changes.

#21 - 03/06/2015 03:45 PM - Igor Skornyakov

After 3 runs the following 2 tests failed (in addition to the expected `tc_job_002`):

```
398 tc_job_clock_002 TIMCO TC-JOB-CLOCK-002 testcase. FAILED NONE BACKOUT Driver 0
180.119
```

```
failure in step 2: 'timeout before the specific screen buffer became available (Mismatched data at line 0, col
umn 0. Expected ' ' (0x0020 at relative Y 0, relative X 0) and found '|' (0x2502 at relative Y 0, relative X 0
).)'
```

```
400 tc_job_clock_004 TIMCO TC-JOB-CLOCK-004 testcase. FAILED NONE BACKOUT Driver 0
```

180.119

```
failure in step 2: 'timeout before the specific screen buffer became available (Mismatched data at line 0, column 10. Expected ' ' (0x0020 at relative Y 0, relative X 10) and found 'c' (0x0063 at relative Y 0, relative X 10).)'
```

These tests failed on different steps. The best results are listed above. Test restarted.

#22 - 03/07/2015 03:36 AM - Igor Skornyakov

Passed runtime regression testing and checked in as bzt rev 10796.

#23 - 03/09/2015 08:54 AM - Greg Shah

- % Done changed from 0 to 100

- Status changed from New to Closed

#24 - 03/09/2015 09:19 AM - Igor Skornyakov

- File *ias_upd20150309a.zip* added

Fixed regression reported by Constantin (see #2408 notes 135/136/137). Restarted regression test

#25 - 03/09/2015 09:47 AM - Greg Shah

Code Review *ias_upd20150309a.zip*

The change is good. Please add a history entry, post the updated 0309b zip and get it regression tested. You can check it in as soon as it passes testing.

#26 - 03/10/2015 10:05 AM - Greg Shah

What is the status of this? Also, please post the updated zip.

#27 - 03/10/2015 10:36 AM - Igor Skornyakov

Greg Shah wrote:

What is the status of this? Also, please post the updated zip.

Regression test just passed (it required 3 runs).

#28 - 03/10/2015 10:51 AM - Igor Skornyakov

setListItems() method fixed.

Has passed conversion regression testing and is committed as bzt rev. 10802.

#29 - 03/10/2015 11:03 AM - Greg Shah

- File *ias_upd20150309b.zip* added

The updated zip is attached.

#30 - 03/10/2015 02:11 PM - Constantin Asofiei

- File *ca_upd20150310e.zip* added

Igor, please review and test this update with your standalone tests. It fixes problems in this code:

```
def var ch as char.  
  
form ch view-as combo-box inner-lines 2 label "combo" with frame f1.  
  
on "1" anywhere do:  
  ch:list-items in frame f1 = "a,b,c,d,e".  
end.  
  
on "2" anywhere do:  
  ch:list-item-pairs in frame f1 = "1,a,2,b,3,c,4,d,5,e".  
end.  
  
update ch with frame f1.  
  
message ch
```

Pressing "1" twice was not working properly, as the config.pairs state was being always set to true.

I'll put this into runtime testing.

#31 - 03/10/2015 02:51 PM - Igor Skornyakov

Constantin,

I agree with your changes. However I've noticed another non-compatibility with 4GL:

With your sample running in 4GL it is acceptable to press 1 and then 2 (but not vice versa) while in Java runtime both are rejected. This looks a little bit strange as in my tests it was different. I'm re-checking now.

#32 - 03/10/2015 03:12 PM - Igor Skornyakov

The situation looks strange. If one puts assignments in Constantin's sample not within "on" block (just two consecutive assignments) the second one

will be rejected. Trying to understand the difference. Any suggestions are highly appreciated.

#33 - 03/10/2015 03:27 PM - Igor Skornyakov

Well, it seems that the situation is the following:

If LIST-ITEMS is assigned before the frame containing the widget is enabled then one can assign to LIST-ITEM-PAIRS after enabling the frame (but not vice versa).

#34 - 03/10/2015 05:05 PM - Igor Skornyakov

- File *ias_upd20150310a.zip* added

Please take a look at the augmented version of the Constantin's changes (I've the support for the above mentioned subtlety).

#35 - 03/10/2015 05:21 PM - Igor Skornyakov

Shall I start the regression testing right now?

#36 - 03/10/2015 05:24 PM - Greg Shah

Igor Skornyakov wrote:

Shall I start the regression testing right now?

No, don't put this into testing since Constantin is already doing so with his version. After he checks this in (it is urgently required to fix regressions in some customer code), you can move forward with your fix.

#37 - 03/10/2015 05:29 PM - Greg Shah

Code Review *ias_upd20150310a.zip*

I'm fine with the proposed changes, except that the *ControlSetConfig.java* needs a history entry.

As noted above, please wait until after Constantin's check in before you get this tested.

#38 - 03/10/2015 05:31 PM - Igor Skornyakov

Greg Shah wrote:

Code Review *ias_upd20150310a.zip*

I'm fine with the proposed changes, except that the *ControlSetConfig.java* needs a history entry.

I see. And because there will be a separate commit by Constantin I understand a new history entry for the *ControlSetEntity* should be added as well.

As noted above, please wait until after Constantin's check in before you get this tested.

OK.

#39 - 03/10/2015 05:43 PM - Greg Shah

And because there will be a separate commit by Constantin I understand a new history entry for the ControlSetEntity should be added as well.

Correct.

Perhaps it makes sense to integrate these changes with your work in [#2522](#) to reduce the amount of testing cycles?

#40 - 03/10/2015 05:45 PM - Igor Skornyakov

Greg Shah wrote:

Perhaps it makes sense to integrate these changes with your work in [#2522](#) to reduce the amount of testing cycles?

Great! I like this idea.

#41 - 03/13/2015 12:34 PM - Igor Skornyakov

Has passed regression testing and is committed as bzt rev. 10811

#42 - 11/16/2016 12:13 PM - Greg Shah

- Target version changed from Milestone 12 to GUI Support for a Complex ADM2 App

Files

ias_upd20150225a.zip	198 KB	02/25/2015	Igor Skornyakov
ias_upd20150304b.zip	133 KB	03/04/2015	Igor Skornyakov
ias_upd20150305a.zip	284 KB	03/05/2015	Igor Skornyakov
ias_upd20150309a.zip	7.26 KB	03/09/2015	Igor Skornyakov
ias_upd20150309b.zip	7.28 KB	03/10/2015	Greg Shah
ca_upd20150310e.zip	11.8 KB	03/10/2015	Constantin Asofiei
ias_upd20150310a.zip	14 KB	03/10/2015	Igor Skornyakov