

## Bugs - Bug #3045

### Clean up localedef warnings for en\_US@p2j\_basic locale

03/30/2016 10:28 AM - Igor Skornyakov

<b>Status:</b>	New	<b>Start date:</b>	03/30/2016
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>		<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>		<b>case_num:</b>	
<b>billable:</b>	No	<b>version:</b>	
<b>vendor_id:</b>	GCD		
<b>Description</b>			

#### History

##### #1 - 03/30/2016 10:31 AM - Igor Skornyakov

When compiling the current version of the **en\_US@p2j\_basic** locale the following warnings are generated:

```
sudo localedef -v -c -f ISO-8859-1 -i en_US@p2j_basic /usr/lib/locale/en_US@p2j_basic/  
/usr/share/i18n/locales/en_US@p2j_basic:24: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US@p2j_basic:25: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US@p2j_basic:26: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US@p2j_basic:28: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US@p2j_basic:31: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US@p2j_basic:32: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US@p2j_basic:33: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US@p2j_basic:34: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US@p2j_basic:36: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US@p2j_basic:37: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US@p2j_basic:38: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US@p2j_basic:39: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US@p2j_basic:40: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US@p2j_basic:41: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US@p2j_basic:42: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US@p2j_basic:43: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US@p2j_basic:44: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US@p2j_basic:45: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US@p2j_basic:46: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US:34: non-symbolic character value should not be used  
/usr/share/i18n/locales/en_US:40: non-symbolic character value should not be used  
LC_NAME: field `name_gen' not defined  
LC_IDENTIFICATION: no identification for category `LC_MEASUREMENT'  
LC_CTYPE: table for class "upper": 10634005407197270931 bytes  
LC_CTYPE: table for class "lower": 10634005407197270931 bytes  
LC_CTYPE: table for class "alpha": 10634005407197270931 bytes  
LC_CTYPE: table for class "digit": 10634005407197270931 bytes  
LC_CTYPE: table for class "xdigit": 10634005407197270931 bytes  
LC_CTYPE: table for class "space": 10634005407197270931 bytes  
LC_CTYPE: table for class "print": 10634005407197270931 bytes  
LC_CTYPE: table for class "graph": 10634005407197270931 bytes  
LC_CTYPE: table for class "blank": 10634005407197270931 bytes  
LC_CTYPE: table for class "cntrl": 10634005407197270931 bytes  
LC_CTYPE: table for class "punct": 10634005407197270931 bytes  
LC_CTYPE: table for class "alnum": 10634005407197270931 bytes  
LC_CTYPE: table for map "toupper": 10634005407197270931 bytes  
LC_CTYPE: table for map "tolower": 10634005407197270931 bytes  
LC_CTYPE: table for width: 0 bytes
```

**#2 - 03/30/2016 12:48 PM - Eric Faulhaber**

*- Project changed from Base Language to Bugs*