

User Interface - Bug #3143

Bug # 2677 (New): fix drawing and functional differences between P2J GUI and 4GL GUI

An infinite loop while closing a dialog

07/07/2016 08:42 AM - Igor Skornyakov

Status:	New	Start date:	07/07/2016
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:		case_num:	
billable:	No		
vendor_id:	GCD		
Description			

History

#1 - 07/07/2016 08:45 AM - Igor Skornyakov

- File xml.p added

With the attached program when I press OK button in the alert box I see the following exception in the client log

```
SEVERE: {main} Unexpected throwable.
java.lang.reflect.InvocationTargetException
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
    at sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
    at java.lang.reflect.Method.invoke(Method.java:498)
    at com.goldencode.p2j.util.MethodInvoker.invoke(MethodInvoker.java:76)
    at com.goldencode.p2j.net.Dispatcher.processInbound(Dispatcher.java:705)
    at com.goldencode.p2j.net.Conversation.block(Conversation.java:364)
    at com.goldencode.p2j.net.Conversation.waitMessage(Conversation.java:300)
    at com.goldencode.p2j.net.Queue.transactImpl(Queue.java:1141)
    at com.goldencode.p2j.net.Queue.transact(Queue.java:598)
    at com.goldencode.p2j.net.BaseSession.transact(BaseSession.java:223)
    at com.goldencode.p2j.net.HighLevelObject.transact(HighLevelObject.java:163)
    at com.goldencode.p2j.net.RemoteObject$RemoteAccess.invokeCore(RemoteObject.java:1425)
    at com.goldencode.p2j.net.InvocationStub.invoke(InvocationStub.java:97)
    at com.sun.proxy.$Proxy4.standardEntry(Unknown Source)
    at com.goldencode.p2j.main.ClientCore.start(ClientCore.java:294)
    at com.goldencode.p2j.main.ClientCore.start(ClientCore.java:104)
    at com.goldencode.p2j.main.ClientDriver.start(ClientDriver.java:202)
    at com.goldencode.p2j.main.CommonDriver.process(CommonDriver.java:396)
    at com.goldencode.p2j.main.ClientDriver.process(ClientDriver.java:96)
    at com.goldencode.p2j.main.ClientDriver.main(ClientDriver.java:265)
Caused by: java.lang.NullPointerException: The FOCUS window can not be set to null - once set, it can be removed only if the FOCUS window Fgets destroyed.
    at com.goldencode.p2j.ui.client.WindowManager.setFocusWindow(WindowManager.java:803)
    at com.goldencode.p2j.ui.client.gui.GuiWindowCommons.hide(GuiWindowCommons.java:93)
    at com.goldencode.p2j.ui.client.gui.ModalWindow.hide(ModalWindow.java:373)
    at com.goldencode.p2j.ui.client.gui.AlertBoxGuiImpl.hide(AlertBoxGuiImpl.java:198)
    at com.goldencode.p2j.ui.client.AlertBoxCommons.finished(AlertBoxCommons.java:185)
    at com.goldencode.p2j.ui.client.AlertBoxCommons.onAction(AlertBoxCommons.java:173)
    at com.goldencode.p2j.ui.client.Button.processEvent(Button.java:462)
    at com.goldencode.p2j.ui.client.widget.TitledWindow.processEvent(TitledWindow.java:195)
    at com.goldencode.p2j.ui.client.TopLevelWindow.processEvent(TopLevelWindow.java:829)
    at com.goldencode.p2j.ui.chui.ThinClient.processEventsWorker(ThinClient.java:15620)
    at com.goldencode.p2j.ui.chui.ThinClient.pop(ThinClient.java:14433)
    at com.goldencode.p2j.ui.chui.ThinClient.eventBracket(ThinClient.java:14416)
    at com.goldencode.p2j.ui.chui.ThinClient.eventDrawingBracket(ThinClient.java:14334)
    at com.goldencode.p2j.ui.chui.ThinClient.eventDrawingBracket(ThinClient.java:14240)
    at com.goldencode.p2j.ui.chui.ThinClient.messageBoxEventWorker(ThinClient.java:7359)
    at com.goldencode.p2j.ui.chui.ThinClient.messageBox(ThinClient.java:7204)
```

... 21 more

The client loops infinitely with this exception.

Files

xml.p	722 Bytes	07/07/2016	Igor Skornyakov
-------	-----------	------------	-----------------