# User Interface - Bug #3249

# APPLY statement to send characters to an unfocused Fill-In

02/18/2017 02:15 AM - Sergey Ivanovskiy

Status:	New	Start date:	02/18/2017
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:			
billable:	No	case_num:	
vendor_id:	GCD	version:	
Description			

### History

## #1 - 02/18/2017 02:36 AM - Sergey Ivanovskiy

- File apply-chars-fillins.p added

The issue with reverted sequence of characters appeared in this task <a href="https://proj.goldencode.com/issues/3209#note-699">https://proj.goldencode.com/issues/3209#note-699</a> due to an unfocused fill-in field gets user's input. The related code handles this use case that an unfocused CHUI fill-in gets characters input. The apply-chars-fillins.p explores this GUI use case. It seems that unfocused character fill-ins handle input exactly like focused ones but unfocused numeric fill-ins don't accept input if their values are initialized(?). Please look at the following notes to watch these tests results <a href="https://proj.goldencode.com/issues/3209#note-718">https://proj.goldencode.com/issues/3209#note-718</a> and <a href="https://proj.goldencode.com/issues/3209#note-719">https://proj.goldencode.com/issues/3209#note-719</a>.

## **Files**

apply-chars-fillins.p 1.92 KB 02/18/2017 Sergey Ivanovskiy

05/19/2024 1/1