# Base Language - Bug #6400

# ADD-SOURCE-BUFFER can have the fields qualified with the table name

05/24/2022 10:47 AM - Constantin Asofiei

Status:	Test	Start date:	
Priority:	High	Due date:	
Assignee:	Ovidiu Maxiniuc	% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:			
billable:	No	case_num:	
vendor_id:	GCD	version:	
Description			

### History

### #2 - 05/24/2022 10:49 AM - Constantin Asofiei

- Subject changed from addSourceBuffer can have the fields qualified with the table name to ADD-SOURCE-BUFFER can have the fields qualified with the table name

I've seen in customer code a call like ADD-SOURCE-BUFFER(bufHandle, "tt1.f1,tt1.f2,tt1.f3"), i.e. the fields are qualified.

Currently I'm just extracting the fields (last token on dot separator) - Ovidiu, please take a look if there's more to it.

This is for branch 6129a.

### #3 - 05/24/2022 10:54 PM - Ovidiu Maxiniuc

- Status changed from New to WIP

## #4 - 05/24/2022 10:56 PM - Ovidiu Maxiniuc

- % Done changed from 0 to 100
- Status changed from WIP to Review

Fixed in r13879 of 6129a.

## #5 - 06/01/2022 04:33 PM - Constantin Asofiei

- Status changed from Review to Test

05/19/2024 1/1